

WENSHING®

Wireless Digital Security Camera Wireless Digital Video Recorder

2.4GHz GFSK Hopping

Model : WS-CAMERA-RECORDER / WS-VIDEO-RECORDER




Vision History


Version	Date	Changes
V1.01	Nov.01,2010	1 st Edition
V1.02	Dec.15,2010	2 st Edition
V1.03	Jan.17,2011	3 st Edition
V1.04	Feb.11,2011	4 st Edition

Definition of Parts

➤ Wireless Digital Security Camera



➤ Wireless Digital Video Recorder



Specification

➤ Wireless Digital Security Camera

- Lens : 1/4"CMOS sensor(640x480)
- Microphone : Omni directional Microphone
- Omni directional Microphone
- Battery : Built in 450mALi-ion battery
- Operation period : 1 hour
- Illumination : White LED
- Power supply : B Type Mini USB DV 5V/1A
- Weight : 40.2g (include the battery and antenna)

➤ Digital Video Recorder

- LCD : 10~16 frames at 320x240(QVGA) · 262K · 0.153 dot pitch
- Battery : Built in 600mALi-ion battery
- Operation period : 1 hour
- Power supply : B Type Mini USB DV 5V/1A
- Weight : 122.6g (include the battery)

➤ RF Specification


- Frequency : ISM 2400~2483MHz hopping
- Transmission Power : 100mW (20dBm)
- Modulation Mode : GFSK

➤ Operating Environment

- Operating Temperature : 0°C~+50°C
- Memorizing Temperature : -10°C~+60°C
- Certification : FCC/NCC

Dimension Diagram

➤ Wireless Digital Security Camera



➤ Wireless Digital Video Recorder

